## SUPPLEMENTARY MATERIAL

## MULTIVARIATE ANALYSIS FOR RAPID SCREENING AND PREDICTION OF SOLID-STATE COMPATIBILITY IN PHARMACEUTICAL PREFORMULATION STUDIES-PAVING THE ROAD FOR MACHINE LEARNING<sup>1</sup>

## Elena Cvetkovska Bogatinovska<sup>1</sup>, Nikola Geškovski<sup>2</sup>, Gjorgji Petrushevski<sup>3</sup>, Viktor Stefov<sup>4\*</sup>

<sup>1</sup>Research and Development, Alkaloid AD, Blvd. Aleksandar Makedonski 12, 1000 Skopje, N. Macedonia <sup>2</sup>Institute of Pharmaceutical Technology, Faculty of Pharmacy, Ss. Cyril and Methodius University in Skopje, Mother Teresa 47, 1000 Skopje, N. Macedonia

<sup>3</sup>Quality Control Department, Alkaloid AD, Blvd. Aleksandar Makedonski 12, 1000 Skopje, N. Macedonia <sup>4</sup>Institute of Chemistry, Faculty of Natural Sciences and Mathematics, Ss. Cyril and Methodius University in Skopje, Arhimedova 5, 1000 Skopje, N. Macedonia



viktorst@pmf.ukim.edu.mk

**Fig. 1.** FTIR spectra in the *fingerprint* region of the unstressed (Day 0) and stressed (Day 30) binary mixture of ibuprofen and sodium citrate dihydrate

<sup>&</sup>lt;sup>1</sup> Dedicated on the occasion of the Golden Jubilee of the Macedonian Journal of Chemistry and Chemical Engineering



Fig. 2. FTIR spectra in the *fingerprint* region of the unstressed (Day 0) and stressed (Day 30) binary



mixture of ibuprofen and Aerosil

Fig. 3. Comparison between the score scatter plot and predicted plot for the prediction set of the a) and b) FTIR spectra model and c) and d) DSC curves model (green – BMs in which no interaction was detected; blue – BMs in which an interaction was detected)