

**SYNTHESIS, SINGLE CRYSTAL STRUCTURE, AND HIRSHFELD SURFACE  
OF (*E*)-*N'*-(2-HYDROXYBENZYLIDENE)-2-((3-(TRIFLUOROMETHYL)PHE-  
NYL)AMINO)BENZOHYDRAZIDE**

**Hanifi Özşanlı<sup>1\*</sup>, Sude Saral Çakmak<sup>2</sup>, Ufuk Çoruh<sup>1</sup>, Sevgi Karakuş<sup>3</sup>,  
Ezequiel M. Vazquez-Lopez<sup>4</sup>**

<sup>1</sup> *Ondokuz Mayıs University, Faculty of Sciences, Department of Physics,  
55200, Atakum, Samsun, Turkey*


<sup>2</sup> *Department of Pharmaceutical Chemistry, Faculty of Pharmacy, Marmara University,  
34854, Istanbul, Turkey*

<sup>3</sup> *Department of Pharmaceutical Chemistry, Faculty of Pharmacy, Istanbul Aydın University,  
34295, Istanbul, Turkey*


<sup>4</sup> *Universidade de Vigo, Departamento de Química Inorganica, Facultade de Química,  
36310, Vigo, Spain*

[2021hanifiozsanli@gmail.com](mailto:2021hanifiozsanli@gmail.com)


**SUPPORTING MATERIAL**



**Fig. 1S.** Experimental IR spectrum of the title molecule




(a)



(b)

**Fig. 2S.** (a) and (b) Experimental H-NMR spectrum of the molecule



**Fig. 3S.** Experimental  $^{13}\text{C}$ -NMR spectrum of the molecule